

## EN: This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at <u>www.hestore.hu</u>.

## Automation and Network Solutions






## BUELA 20 K blau/blue

Industrial Connectors: Measuring and Testing Equipment: Plugs: 4 mm system

Product description	
Description	Multiple-spring wire plug, shatter-proof, flexible insulating sleeve with transverse hole. The tapering sleeve end also serves as kinking protection for the lead.Screw connection up to maximum cable cross-section of 1.5 mm <sup>2</sup> . Nickel-plated brass contact material.
Туре	BUELA 20 K blau/blue
Order No.	930 726-102
System	4 mm System
Housing Color	blue
Other standard types	black color, order no. 930 726-100; red color, order no. 930 726-101; yellow color, order no. 930 726-103; green color, order no. 930 726-104
Drawing	



Technical data	
Pin dimensions	4 mm
Type of contact	pin (spring loaded)
Type of termination	screw
Rated voltage	DC 60 V
Rated current	16 A
Contact resistance	3 mOhm
Material	
Contact material	brass
Contact surface material	nickel-plated

Housing material	PVC-P
Environmental conditions	
Temperature range	-25 °C to +70 °C
Inflammability class	
Housing	94 V-2